

BUILT FOR ROBUST & RELIABLE BUSINESS PRINTING



imageCLASS L B P 3 5 1 x & L B P 3 5 2 x

TAKE COMMAND OF YOUR BUSINESS PRINTING

Achieve ultimate print productivity with the new imageCLASS LBP351x and LBP352x. A formidable combination of lightning-fast print speeds and heavy-duty paper input capacities, along with Gigabit Ethernet support and seamless uniFLOW integration, the imageCLASS LBP351x and LBP352x are sure to command any print jobs, big or small, with absolute control and effortless ease.

62 55 PPM **PPM**

FAST PRINT SPEEDS

UP TO DPI 1,200 X 1,200 **EQUIVALENT RESOLUTIONS** APPROX. SECS

QUICK FIRST PRINT OUT TIME

3,600 **MAXIMUM PAPER INPUT GAPACITY**

SHEETS

WORK EFFICIENTLY WITH FASTER PRINT SPEEDS

Expect high quality monochrome documents with resolution of up to 1,200 x 1,200 dpi (equivalent) from the imageCLASS LBP351x and LBP352x at blazing print speeds of up to 55ppm and 62ppm (A4) respectively. Incorporating Canon's proprietary On-Demand fixing technology, both models are capable of producing the first printout in approximately 7.2 seconds and 7.0 seconds, which translates to more print jobs with less waiting time.



With Canon UFR II technology, both models take full advantage of the PC's constantly evolving processing speeds, which in turn accelerates document processing and printing for greater productivity.



SUPPORTS MULTIPLE PRINTING ENVIRONMENTS



PCL 6 and genuine Adobe® PostScript 3 are included as standard print languages, allowing the device to be configured easily for different operating environments. In addition, the imageCLASS LBP351x and LBP352x supports uniFLOW, facilitating the seamless integration into any uniFLOW managed print environment.

Canon

MORE PRINTOUTS WITH EXPANDABLE PAPER CAPACITY

A great choice for offices with higher print volume, both the imageCLASS LBP351x and LBP352x come with a standard 500-sheet cassette, 100-sheet multipurpose tray and optional paper cassettes, bringing the total input capacity up to 3,600 sheets. This enables users to configure the printer accordingly to their printing needs, and reduces the frequency to replenish paper.

FLEXIBLE MEDIA HANDLING If you require high-speed A5 printing or printing on small media, you can replace the standard cassette with the A5 Cassette or Custom Media Cassette.

usiness Canon

GREATER MOBILITY ANYWHERE

You can now print directly from your smartphone or tablet without the use of a computer. Both models support Canon PRINT Business app, Apple® AirPrint™, Google Cloud Print™, Mopria®, and Canon Print Service.



SCAN TO DISCOVER MORE ABOUT CANON MOBILE SOLUTIONS

CANON GENUINE TONER, CARTRIDGE & PARTS

PRINT MORE FOR LESS WITH HIGH YIELD TONER

Enjoy fuss-free and low maintenance operation with the All-in-One Cartridge 039. A higher yield toner of 25,000 pages (Cartridge 039H) allows you to continuously print high quality output, while at the same time reducing operating costs as well as the replacement of toners.



Do your part for the environment and save cost at the same time. Print on both sides to reduce paper wastage. While in Sleep mode, both models only consumes a mere 2 watts (or less), resulting in a smaller carbon footprint.

imageCLASS L B P 3 5 1 x & L B P 3 5 2 x

SPECIFICATIONS

		LBP351x	LBP352x			LBP351x	LBP352x	
PRINT SPECIFICATION					GENERAL SPECIFICATION			
Printing Method		Monochrome Laser Beam Printing		Devic	e Memory	1 GB		
Print Speed (A4)		55 ppm	62 ppm	Operation Panel		5-line LCD Display		
Print Resolution		600 × 600 dpi 1,200 × 1,200 dpi (equivalent) 2,400 (equivalent) × 600 dpi		Dimensions (W×D×H)		415 x 529 x 438 mm		
				Weight		Approx. 24.5 kg		
First Print Out Time (FPOT)		Approx. 7.2 seconds	Approx. 7.2 seconds Approx. 7.0 seconds		Maximum	1,650 W or less		
Print Language		UFR II, PCL6, PostScript 3, PDF, XPS		n pi	During Operation	Approx. 800 W or less	Approx. 850 W or less	
Warm-up Time (from power on)		29 seconds or less			During Standby	Approx. 19 W		
Recovery Time (from sleep mode)		Approx. 10 seconds		C	During Sleep	Approx. 2.0 W (USB connection) Approx. 1.1 W (Wired LAN connection)		
Auto Duplex Printing		Standard				Sound Power: 71 dB or less		
Available Paper Size for Auto Duplex Print		A4, B5, A5, Legal ^{*1} , Letter, Executive, Foolscap		Noise Level ^(*3)	During Operation	Sound Pressure: 56 dB	Sound Pressure: 57 dB	
PAPER HANDLING SPECIFICATION				Ľ	During Standby	Sound Power: 40 dB or less Sound Pressure: 26 dB		
4	Standard Cassette	500 sheets		Powe	r Requirement	220 to 240 V, 50/60 Hz		
Paper Input	Multi-Purpose Tray	100 sheets		Operating Environment		Temperature: 10 to 30°C Humidity: 20% to 80% RH (no condensation) Cartridge 039: 11,000 pages (bundled: 11,000 pages)		
Pape	Maximum Paper Input Capacity	3,600 sheets						
Paper output		Output Tray: approx. 500 sheets (face down) Sub-output Tray: 100 sheets (face up)			Cartridge (*4)	Cartridge 039H: 25,000 pages		
Paper size		A4, B5, A5, Legal ¹¹ , Letter, Executive, Foolscap, Indian Legal			Duty Cycle ⁽¹⁵⁾ 250,000 pages 280,00 DPTIONAL ACCESSORIES		280,000 pages	
	Standard Cassette	Custom: width 148.0 to 215.9 mm, length 210.0 to 355.6 mm		UPTIC				
		A4, B5, A5, A6, Legal*1, Letter, Executive,		Paper Feeder-B1	Paper Capacity	500 sheets		
Pap	Foolscap, Index Card (3"x5" Envelope: COM10, Monarc Custom: width 76.2 to 215.9 mm, ler		Ionarch, DL, ISO-C5		Paper Size	A4, B5, A5, Legal ¹ , Letter, Executive, Foolscap, Indian Legal Custom: width 148.0 to 215.9 mm, length 210.0 to 355.6 mm		
	Chan dan d On an a Ma				Paper Weight	60 to 120 g/m ²		
Paper Weight	Standard Cassette	60 to 120 g/m ²			Paper Capacity	1,500 sheets		
← > Multi-Purpose Tray		60 to 199 g/m ²		⊣ ä ĕ⊢	Paper Size	A4, Legal*1, Letter		
Paper Type		Plain, Heavy, Label, Envelope			Paper Weight	60 to 120 g/m ²		
CONNECTIVITY & SOFTWARE				-A1	Paper Capacity 450 sheets		heets	
Standard Interface		USB 2.0 High Speed 10Base-T/100Base-TX/1000Base-T		A5 sette	Paper Size	A5		
				Cas	Paper Weight	60 to 120 g/m ²		
Network Interface		Supported protocol: TCP/IP (Frame Type: Ethernet II), SMB (option) Print application: LPD, RAW, IPP/IPPS, FTP, WSD		Med e-A	Paper Capacity	450 sheets		
					Paper Size	A5, A6, Statement Custom: width 102.0 to 170.0 mm, length 148.0 to 282.0 mm		
Mobile Print		Canon PRINT Business, Apple [®] AirPrint [™] , Mopria Print		Paper Weight		60 to 120 g/m ²		
		Service®, Google Cloud Print [™] , Canon Print Service		8 F Paper Capacity		75 sheets		
Compatible operating systems		Windows® 10 (32/64-bit), Windows® 8.1 (32/64-bit), Windows® 8 (32/64-bit), Windows® 7 (32/64-bit) Windows® Vista (32/64-bit) Windows® Server 2012 R2 (64-bit) Windows® Server 2012 (82 (64-bit)) Windows® Server 2008 (32/64-bit) Windows® Server 2008 (32/64-bit) Windows® Server 2003 (32/64-bit) Windows® Server 2003 (32/64-bit) Mac OS ⁺² 10.5.8~, Linux ⁺²		Envelope Feeder-A1	Paper Size	COM10, Monarch, DL, ISO-C5 Custom: width 90.0 to 178.0 mm, length 160.0 to 254.0 mm		
				 *1 Legal refers to paper measuring 215.9 x 355.6mm (8.5 x 14 inches) *2 Drivers for Mac OS or Linux can be downloaded from www.canon-asia.com when available *3 Measured in accordance with ISO 7779, declared noise emission in accordance with ISO 9296. *4 Declared yield in accordance with ISO/IEC 19752 *5 Monthly duty cycle value provides a means for comparison of product robustness in relation to other Canon laser devices, and does not refer to actual maximum image output per month 				

Canon

Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD. 1 Fusionopolis Place #15-10 Galaxis Singapore 138522

Tel: 65-6799-8888 Fax: 65-6799-8882

DEALER'S STAMP

www.canon-asia.com

CANON OFFICES

HONG KONG Canon Hongkong Co. Ltd Tel : 852-3191-2388 Fax : 852-2369-3800 www.canon.com.hk

INDIA Canon India Pvt. Ltd. Tel : 91-124-416 0000 Fax : 91-124-416 0011 www.canon.co.in

MALAYSIA Canon Marketing (Malaysia) Sdn Bhd Tel : 60-3-7844 6000 Fax : 60-3-7845 0505 www.canon.com.mv

PHILIPPINES Canon Marketing (Philippines), Inc. Tel : 632-884-9090 Fax : 632-556-1456 www.canon.com.ph

SINGAPORE Canon Singapore Pte. Ltd. Tel: 65-6799-8888 Fax: 65-6799-8882 www.canon.com.sg

THAILAND Canon Marketing (Thailand) Co. Ltd Tel : 66-2-344 9999 Fax : 66-2-344 9960 www.canon.co.th

VIETNAM Canon Marketing (Vietnam) Co. Ltd Tel : 84-8-3820 0466 Fax : 84-8-3820 0477

CANON BUSINESS PARTNERS

BANGLADESH J.A.N. Associates Ltd. Tel : 880-2 9660 601 Fax : 880-2 8610 410 www.jan-bd.com

BRUNEI Interhouse Company Tel : 673-2-653-001 Fax : 673-2-653-003 www.ihc.com.bn

CAMBODIA i-Qlick Marketing Co.,Ltd. Tel : 855-23-996638 Fax : 855-23-996639

INDONESIA P.T. Datascrip Tel : 62-21 2664 8999 Fax : 62-21 6544 811/13 www.datascrip.com

MALDIVES SIMDI Company Pvt Ltd. Tel : 960-333 4421 Fax : 960-333 4424

MYANMAR Myanmar Golden Rock International Co., Ltd Tel : 95-1-654810 to 19 (10 Lines), Fax : 95-1-654820 Email: sales@mgr.com.mm

NEPAL International Electronics Concern (P) Ltd Tel : 977-1-442 1991 Fax : 977-1-442 1909 www.iec.com.np

PAKISTAN Shirazi Trading Company (Pvt.) Ltd Tel : 92-21-3241 (7659), (7737) or (7746) Fax : 92-21-12341 7747), (3242 0417) or (3242 0418) www.shirazitrading.com.pk

SRI LANKA Metropolitan Office (Pvt) Ltd Tel : 94-11-470 0200 Fax : 94-11-470 0267 www.metropolitan.lk

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS and Business Can Be Simple are trademarks of Canon Inc, and/or its affiliates. Other names may be the trademarks for their respective owners. uniFLOW is an independent party software distributed by Canon Singapore Pte. Ltd.